

Spark**led** by us.

LEDBook





WELCOME

THE LATEST LIGHTING SOLUTIONS HIGHLIGHTED

Light4U is a Dutch producer and importer of high-quality LED luminaires. We also work with leading brands. This means we always have an innovative solution for every lighting situation. We're happy to share our knowledge with you.

Light4U, sparkled by us.

THIS LEDBOOK

Navigating this brochure is easy. On page 8 our luminaires are arranged per category and thanks to the visual index you can find the luminaire that you are looking for in no time. To clearly display all the features and options of the luminaires, we use icons per product page. An explanation of these icons can be found on page 14.

Do you want more detailed product information? Extensive datasheets and the performance of each luminaire can be found on our website light4u.io. Choose 'Products' and simply select your favourite luminaire. Specific questions or wishes? We are happy to help you with a tailor-made solution.

TRACK LUMINAIRES 17














































FULLA SMALL



FULLA LARGE 45



FRIGO **46**








NIMROD **49**



EDDA RECESSED **50**







CARDAN LARGE THREE 70



CARDAN LARGE FOUR SQUARE 71



FENRIR SMALL 73



FENRIR LARGE 74



SMALL BUILT-IN 75



76

SURFACE LUMINAIRES



SKADI 160 80



81











LIVAL NANO-X LINEAR 88







ICONS

See the features and options of the products at a glance, by checking the icons on the product pages in this LED Book. Here we explain the meaning of these icons.



Accentuates the freshness of fruit and vegetables.



Warm yellowish light gives a perfect appearance to cheese and other dairy products.



Fresh and cooked meats have a saturated red color under this light. A boost of red for the meat counter.



Bluish white light promotes freshness of fish and seafood.



This light color has a light brown tinge to give an oven-fresh appearance to crusty bakery products.



Optimized light spectrum for perfect fashion presentation.



This LED module offers a high quality of light that is needed for displaying high-value exhibits. The average value of the Art series is an impressive CRI 98. MacAdam 2 ellipses are used in this special product category to also provide an outstanding color consistency.



For spot and accent lighting in fashion, retail, hospitality and supermarket applications.



Unique combination of white rendering and rich colors from one LED source.



Dim to a warmer color from 3000K to 1800K for creating the right atmosphere.



Light color from 2700K to 6500K to set an individual color temperature depending on the application. Used for well being (daylight simulation) and for increasing the performance in offices and workshops.



Digital dimming interface.



Analog dimming interface.



Wireless lighting control based on Bluetooth.



Built-in emergency unit for escape route lighting.



The clear glass is protecting the light source and reflector from dust and other dirt that could enter the optical part of the luminaire.



The frosted glass is protecting the light source and reflector from dust and other dirt that could enter the optical part of the luminaire. In addition to that, it also widens the beam and creates a different footprint.



Honeycombs are widely used to reduce the direct glare. Luminaires with honeycombs have usually a tighter beam.



Barn doors are used to shape the light. The barn doors position changes the nature of the light shape. Two side flaps closed together might produce a slim light shape like light passing through a partially open door. All four doors closed together will produce a square focussed beam of light.



Unified Glare Rating < 19, suitable for reading, writing, training, meetings and PC based working environments.



Ingress Protection 40: protected against solid objects, not watertight.



Ingress Protection 65: dustproof and protected from water spray.



Type of power distribution specially developed for the connection of lighting cables above the ceiling.



Warranty on quality in years.



SOLUTIONS

We offer lighting solutions for the following industries.





TRACK LUMINAIRES

HUGINN R

Adjustable 3-phase LED track spotlight with incorporated driver in Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options









Beam angle 20° / 36° / 50°

Max. **3150** lumen











CASAMBI























View full specs at Light4u.io



EDDA S

Adjustable 3-phase LED track spotlight with incorporated driver in Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options



Beam angle 15° / 24° / 45° / 55°







Max. **2500** lumen








































EDDA M

Adjustable 3-phase LED track spotlight with incorporated driver in Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options









Beam angle 20° / 30° / 45° / 55°

Max. **3350** lumen































View full specs at Light4u.io





EDDA

Adjustable 3-phase LED track spotlight with incorporated driver in Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options



Beam angle 15° / 30° / 45° / 60°



Max. **4450** lumen






























View full specs at Light4u.io



YMIR

Adjustable 3-phase LED track spotlight with incorporated driver in Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options









Beam angle 15° / 30° / 45° / 60°

Max. **4450** lumen









































View full specs at Light4u.io



LIVAL GA-016 CAFETERIA

Adjustable 3-phase LED track spotlight with incorporated driver in Nordic track adapter. Available in CCT 3000K and 4000K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options




Beam angle 15° / 20° / 30° / 50°





Max. **3200** lumen





View full specs at Light4u.io

TUBE

Adjustable 3-phase LED track spotlight with Nordic track adapter and lens optics. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available in 1-phase.

Features and options







Beam angle 15° / 24° / 36°

Max. **3000** lumen





































View full specs at Light4u.io

TUBE R

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available in 1-phase.

Features and options



Beam angle 15° / 30° / 45°

Max. **3370** lumen







DIM TO

















PREMIUM WHITE

View full specs at Light4u.io

CR**I**SP WH**I**TE




SURT

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in 3000K. Stepless adjustable beam angle from 15° till 60° provides unprecedented flexibility within several applications. Dimmable with a small potentiometer on the back side of the luminaire gives you the freedom to choose the light level without any control system. Also available in 1-phase.

Features and options





355°

Max. **2150** lumen

Beam angle 15° - 60° (zoom lens)







View full specs at Light4u.io



THOR

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available in 1-phase.

Features and options









Beam angle 15° / 30° / 45° / 60°

Max. **4450** lumen













































View full specs at Light4u.io





FREYA

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available in 1-phase.

Features and options









Beam angle 20° / 30° / 45° / 55°

Max. **4450** lumen











































View full specs at Light4u.io



SAGA

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available in 1-phase.

Features and options







Beam angle 20° / 30° / 45° / 55°

Max. **4450** lumen









CASAMBI





View full specs at Light4u.io



ODIN

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available in 1-phase.

Features and options





Beam angle 20° / 30° / 45° / 55°

Max. **4450** lumen









































View full specs at Light4u.io



LIVAL ASPECT

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in CCT from 2700K till 5000K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options



Beam angle 15° / 28° / 35°

355° 85°

Max. **4475** lumen













View full specs at Light4u.io



ORCO LED

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available in 1-phase.

Features and options







90°

Beam angle 10° / 24° / 36°

Max. **4450** lumen



































View full specs at Light4u.io



BURI

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available in 1-phase.

Features and options











Beam angle 15° / 30° /45° / 60°

Max. **4450** lumen





































View full specs at Light4u.io



NANNA SMALL

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Equipped with a clear protection glass. Also available in 1-phase.

Features and options









Beam angle 90° x 60°

Max. **3550** lumen





































View full specs at Light4u.io



NANNA LARGE

Adjustable 3-phase LED track spotlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Equipped with a clear protection glass. Also available in 1-phase.

Features and options



Beam angle 90° x 70°



Max. **4700** lumen



































View full specs at Light4u.io



SKADI 160 TRACK

Surface mounted 3-phase LED track downlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available in 1-phase.

Features and options



Beam angle 20° / 30° / 45° / 55°

Max. **2500** lumen



View full specs at Light4u.io





SKADI 220 TRACK

Surface mounted 3-phase LED track downlight with Nordic track adapter. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available in 1-phase.

Features and options



Beam angle 15° / 30° / 45° / 60°

Max. **4450** lumen



View full specs at Light4u.io



LIVAL NANO

Adjustable 3-phase linear LED track luminaire with Nordic track adapter. Available in CCT 3000K and 4000K, CRI80 with a wide variety of optic options. Lenght: 800mm (S), 1200mm (M) or 2400mm (L).

Features and options

Optics: Microprismatic, Double Asymmetric, Opal diffuser

90°

Max. **20000** lumen









LIVAL NANO-X LINEAR TRACK

3-phase linear LED track luminaire with Nordic track adapter. Available in CCT 3000K and 4000K, CRI80 with a wide variety of optic options. Lenght: 800mm (S), 1200mm (M) or 2400mm (L). Also available with louver.

Features and options


Optics: Microprismatic, Double Asymmetric, Opal diffuser

90°











RECESSED LUMINAIRES

FULLA SMALL

Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options









Beam angle 20° / 30° / 45° / 55°

Max. **3370** lumen

















30°


































View full specs at Light4u.io





FULLA LARGE

Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options













Beam angle 15° / 24° / 36° / 45° / 60° Max. **5600** lumen











































View full specs at Light4u.io





FRIGO

Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options



144mm

350°

30°

Beam angle 24° / 38°

Max. **4550** lumen







































View full specs at Light4u.io





Z

SANA

Adjustable recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options







155mm





Beam angle 15° / 30° / 45° / 60°

Max. **4450** lumen











































View full specs at Light4u.io





FRISCO

Adjustable recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options





160mm

Beam angle 24° / 38°

Max. **4550** lumen



































View full specs at Light4u.io







NIMROD

Semi-recessed, fully adjustable LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options











Beam angle 15° / 30° / 45° / 60°

Max. **4450** lumen














































View full specs at Light4u.io







EDDA RECESSED

Semi-recessed, fully adjustable LED spotlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options







145mm





Beam angle 15° / 30° / 45° / 60°

Max. **3370** lumen

































DAL









YMIR RECESSED

Adjustable LED spotlight with recessed installation. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options









Beam angle 15° / 30° / 45° / 60°

Max. **4450** lumen





CRISP WHITE

























DIM TO









DAL



View full specs at Light4u.io





WORLD LED 180

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available with IP40 glass from optical side.

Features and options





Beam angle 50°

Max. **4650** lumen










































View full specs at Light4u.io





WORLD LED 200

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available with IP40 glass from optical side.

Features and options





Beam angle 50°


Max. **4700** lumen



wieland







WORLD LED 200 LOW

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available with IP40 glass from optical side.

Features and options





Beam angle 100°


Max. **4700** lumen











WORLD LED 225

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available with IP40 glass from optical side.

Features and options





Beam angle 50°

Max. **4700** lumen





























View full specs at Light4u.io





WORLD LED 260

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Also available with IP40 glass from optical side.

Features and options





Beam angle 50°

Max. **4700** lumen







DIM TO





DAL



























View full specs at Light4u.io





BALDR SMALL

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. IP40. Equipped with a clear protection glass.

Features and options





Beam angle 50°


Max. **2350** lumen



wieland







BALDR LARGE

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. IP40. Equipped with a clear protection glass.

Features and options



140mm

Beam angle 45°

Max. **4300** lumen


























































Z

CIMBRI

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. IP65. Equipped with a clear protection glass.

Features and options





Beam angle 15° / 30° / 45° / 60°

Max. **3370** lm



View full specs at Light4u.io





NJORD

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options



135mm

Beam angle 55°

Max. **4300** lumen


























































CLICK

Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Supplied with a single, double or triple frame.

Features and options





[] 155mm x 155mm



Beam angle 24° / 38°

Max. **4550** lumen








































View full specs at Light4u.io











CARDAN SMALL ONE

Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options



Beam angle 15° / 30° / 45° / 60°

/ 60° Max. **4450** lm


25°





View full specs at Light4u.io





CARDAN SMALL TWO


Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options





310mm x 155mm





Beam angle 15° / 30° / 45° / 60°

Max. 2x **4450** lumen












































View full specs at Light4u.io





CARDAN SMALL THREE

Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.


Features and options








452mm x 155mm












































View full specs at Light4u.io





CARDAN LARGE ONE

Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options





7 190mm x 190mm


Max. **4450** lumen

Beam angle 15° / 30° / 45° / 60°



View full specs at Light4u.io





CARDAN LARGE TWO

Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options








365mm x 190mm

Beam angle 15° / 30° / 45° / 60°














































View full specs at Light4u.io





CARDAN I ARGE THREE

Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications..

Features and options



Beam angle 15° / 30° / 45° / 60°

Max. 3 x **4450** lumen



View full specs at Light4u.io





CARDAN LARGE FOUR SQUARE

Recessed cardanic LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options





365mm x 365mm



Max. 4 x **4450** lumen

















25°











UGR <19



wieland
















FENRIR SMALL

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. IP40. Equipped with a clear protection glass.

Features and options





Beam angle 50°

Max. **2350** lumen


































View full specs at Light4u.io





FENRIR LARGE

Recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. IP40. Equipped with a clear protection glass.

Features and options



140mm x 140mm

Beam angle 45°

Max. **4300** lumen

























View full specs at Light4u.io





NANNA SMALL BUILT-IN


Adjustable recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Equipped with a clear protection glass.

Features and options




















































View full specs at Light4u.io





NANNA LARGE BUILT-IN

Adjustable recessed LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Equipped with a clear protection glass.

Features and options





210mm x 140mm



Beam angle 90° x 70°

Max. **4700** lumen



















































SURFACE LUMINAIRES

SKADI 160

Surface mounted LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options





Beam angle 20° / 30° / 45° / 55°

Max. **2500** lumen



View full specs at Light4u.io





SKADI 220

Surface mounted LED downlight. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications.

Features and options



Beam angle 15° / 30° / 45° / 60°

Max. **4450** lumen



View full specs at Light4u.io







LED PANELS & ACCESSORIES

CHALLENGE 60X60

LED panel including driver with Wieland cable and through wiring function. Surface mounted frame or suspension set need to be ordered separately.

Features and options

Beam angle 120°

Max. **3600** lumen















CHALLENGE 30X120

LED panel including driver with Wieland cable and through wiring function. Surface mounted frame or suspension set need to be ordered separately.

Features and options

Beam angle 120°

Max. **3960** lumen



















LIVAL NANO-X LINEAR

Linear LED ceiling luminaire, connectable. Available in CCT 3000K and 4000K, CRI80 with a wide variety of optics options. Lenght: 800mm (S), 1200mm (M) or 2400mm (L). Also available with louver.

Features and options

Optics: Microprismatic, Double Asymmetric, Opal diffuser

Max. **14771** lumen





LIVAL NANO-X LINEAR TRACK

3-phase linear LED track luminaire with Nordic track adapter. Available in CCT 3000K and 4000K, CRI80 with a wide variety of optic options. Lenght: 800mm (S), 1200mm (M) or 2400mm (L). Also available with louver.

Features and options

Optics: Microprismatic, Double Asymmetric, Opal diffuser

90°







LIVAL NANO

Adjustable 3-phase linear LED track luminaire with Nordic track adapter. Available in CCT 3000K and 4000K, CRI80 with a wide variety of optics options. Lenght: 800mm (S), 1200mm (M) or 2400mm (L).

Features and options

Optics: Microprismatic, Double Asymmetric, Opal diffuser 90°

Max. **20000** lumen













LIVAL NANO-X LINEAR PENDANT

Linear LED pendant luminaire, connectable. Available in CCT 3000K and 4000K, CRI80 with a wide variety of optics options. Lenght: 800mm (S), 1200mm (M) or 2400mm (L). Also available with louver.

Features and options



Optics: Microprismatic, Double Asymmetric, Opal diffuser

Max. **14771** lumen











SUSPENDED LUMINAIRES

SKADI 160 PENDANT

Pendant LED luminaire. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Supplied with 3m suspension set.

Features and options



Beam angle 20° / 30° / 45° / 55°

Max. **2500** lumen



View full specs at Light4u.io



Ø160

SKADI 220 PENDANT

Pendant LED luminaire. Available in CCT from 2700K till 5700K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Supplied with 3m suspension set.

Features and options



Beam angle 15° / 30° / 45° / 60°

Max. **4500** lumen



View full specs at Light4u.io



LIVAL CRAFT

Pendant LED luminaire. Available in CCT 3000K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Supplied with 3m suspension set.

Features and options

Max. **5841** lumen

Beam angle 15° / 24° / 30° / 50° or 20° / 40° / 60° depends on COB















BRYAN PENDANT LED SUPREME

Pendant LED luminaire. Available in CCT from 2700K till 5700K in CRI80 or CRI90 specifies this luminaire for showroom applications. Supplied with reflector made of aluminium (Ø325mm) or clear polycarbonate (Ø315mm or Ø410mm) and with 3m suspension set.

Features and options







Beam angle 40°



















LIVAL SECUR 812

Pendant LED luminaire. Available in CCT 3000K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Supplied with 3m suspension set.

Features and options







Beam angle 15° / 20° / 30° / 50°

Max. **4047** lumen











LIVAL SECUR 816

Pendant LED luminaire. Available in CCT 3000K in CRI80 or CRI90 and also in special colors that allows installations in a large range of applications. Supplied with 3m suspension set.

Features and options





Max. **5874** lumen

Beam angle 15° / 24° / 30° / 50° or 20° / 40° / 60° depends on COB













LIVAL NANO-X LINEAR PENDANT

Linear LED pendant luminaire, connectable. Available in CCT 3000K and 4000K, CRI80 with a wide variety of optics options. Lenght: 800mm (S), 1200mm (M) or 2400mm (L). Also available with louver.

Features and options

Optics: Microprismatic, Double Asymmetric, Opal diffuser

Max. **14771** lumen












TRACKS AND ACCESSORIES

OVERVIEW 3-PHASE TRACKS AND PARTS







OVERVIEW 3-PHASE DALI PULSE TRACKS AND PARTS



OVERVIEW 1-PHASE TRACKS AND PARTS



OVERVIEW SUSPENSION SETS





Spark**led** by us.

WE LOVE OUR PROFESSION, AND WE STRIVE TO BE A SHINING EXAMPLE

Because we don't just want to meet your expectations, we want to exceed them! How do we do that?

By putting our three core values Home, Flexibility and Vibrant into practice in everything we do.



CORE VALUE 1 \ HOME

A wide range, a large stock and an innovative technical department. We have everything it takes to deliver customised quality. The up-to-date knowledge of our buyers and sellers guarantee the smartest lighting solutions possible. Quality and innovation: that's our expertise.



CORE VALUE 2 \ FLEXIBILITY

We understand that you are not always looking for a standard solution, and that speed is always a must. We know better than most how the lighting industry works. That is why we are a flexible partner, and if necessary, almost as fast as light.



CORE VALUE 3 \ VIBRANT

The typical 'sparkle' of Light4U can be seen in everyone who works with us. We just love to move forward as a team and have fun. When you have a passion for what you do, it makes a difference. Not only for you as a customer, but also a little bit for the world around us.



HOW OUR **SPARKLE HELPS**

We enjoy making progress! For you as a customer, for ourselves and for the world around us. That's why we make an effort to support the ALS Foundation. How? By running, walking, driving or cycling, so that our energy helps ALS research move forward. Want to know more? Check <u>light4u.io/about-us</u>









Light4U BV

light4u.io

